




Spare parts CCR Liberty

Published by Divesoft s.r.o., www.divesoft.cz


Date of issue: 9.3.2020

Rev. 10



CCR Liberty
(CE compliant)

Spare parts



CCR Liberty with
back mounted counterlungs
and other non-CE variants

Spare parts



#2231 Screw M5 x 12, flat head Phillips, stainless

1133 Backplate - Stainless
Part containing serial number of entire apparatus
Cannot be ordered in the eshop

#1140 Carrier frame, lock lever

#1139 Carrier frame, lock barb

#1141
Carrier frame,
lock lever pivot



#2231 Screw M5 x 12, flat head Phillips, stainless


#2249 Button head screw M6 x 16, T30, stainless

#2248 Button head screw M6 x 8, T30, stainless

#1323 Lumbar support - Stainless


#1324 Carrier frame, bracket

#2220 Screw M5 x 16, flat head Phillips, stainless




1133 Backplate - Stainless
(weight 3387.21 g)


This part contains serial number
of entire apparatus. Cannot be
ordered in the eshop, order by
e-mail, please.




#1732 Backplate - Titanium
(weight 1162.99 g)




#1828 Backplate, extended+80 mm - stainless
(weight 3489.71 g)




#1323 Lumbar support - Stainless
(weight 903.71 g)




#1733 Lumbar support - Titanium
(weight 382.16 g)




#1730 Extended base, wide - Stainless
(weight 1382.76 g)




#1736 Extended base, wide - Titanium
(weight 596.05 g)




#1523 Extended base, narrow - Stainless
(weight 1172.48 g)




#1735 Extended base, narrow - Titanium
(weight 505.38 g)



#3130 Buoyancy compensator (wing), horseshoe shape



#3200
Buoyancy compensator (wing), horseshoe
shape with bungee
(not used in CCR Liberty CE)




#3199
Buoyancy compensator (wing),
donut shape
(not used in CCR Liberty CE)



#2248 Button head screw M6 x 8, T30, stainless
(for attaching BCD to backplate, 10 pcs used)



#1260 Fixing strap for 2 hoses




#1261 Fixing strap for 3 hoses




#1262 Fixing strap for 4 hoses




#1330 Fixing strap for lock lever




#1472 Harness, raw strap
(please specify, if you need a different length)




#7014 Crotch strap, complete




#7043 Crotch strap, raw




#7039 Harness, complete
(2 pcs used in CCR Liberty)




#3023 Tank strap
(2 pcs used in CCR Liberty)




#3024 Central strap




#1162 Ladder lock




#8101 QRF Buckle




#1731 Ladder lock for double strap




#1164 QRF buckle, ladder lock part




#1201 QRF buckle, sewing part




#1161 D-ring 50 mm




#7062 QRF buckle, adjustable part



#7041
Tank 3 l/300 bar, "Diluent",
with straight valve (DIN G5/8)




#7042
Tank 3 L/300 bar, "Oxygen",
with straight valve (M26x2)



#7063
Tank 3 L/300 bar, "Oxygen",
with straight valve (DIN G5/8)


Not used in CCR Liberty CE

M25x2 thread
(EN 144-1)




#7155 Tank 3L 300 bar, steel, 100 mm diameter, neck thread M25x2, DILUENT

M25x2 thread
(EN 144-1)



#7154 Tank 3L 300 bar, steel, 100 mm diameter, neck thread M25x2, OXYGEN


G 5/8 "DIN"
(EN ISO 12209)
(EN 144-2)



M25x2 thread
(EN 144-1)

#3123
Cylinder valve SLS, DIN G5/8
(tank thread M25x2), Air 230
bar, black handle


M 26x2
(EN 144-3)



M25x2 thread
(EN 144-1)

#3124
Cylinder valve SLS, M26x2
(tank thread M25x2), Nitrox
(oxygen) 230 bar, green
handle

G 5/8 "DIN"
(EN ISO 12209)
(EN 144-2)




M25x2 thread
(EN 144-1)

#2120
O-ring 25 x 3.55,
Oxygen
compatible, 80 Sh


#3192
Cylinder valve SLS, DIN G5/8
(tank thread M25x2), 230 bar,
green handle.

Valve is oxygen clean, but it is
not recognized as valve for
oxygen by any of EN
standards.


Not used in CCR Liberty CE




#3123 Cylinder valve SLS, 230 bar
(Used in Liberty CE with Diluent cylinder)




#3124 Cylinder valve SLS, 230 bar
(Used in Liberty CE with oxygen cylinder)



#3192 Cylinder valve SLS, 230 bar




#3161 Cylinder valve SLS, 230 bar




#3137 Cylinder valve SLS, 230 bar


All valves are oxygen compatible




#3258 Cylinder valve SH, 230 bar
(Used in Liberty sidemount conversion kit)



#3259 Cylinder valve SH, 230 bar
(Used in Liberty sidemount conversion kit)



#3191 Cylinder valve S, 230 bar
(Alternative valve for sidemount)




#3190 Cylinder valve S, 230 bar
(Alternative valve for sidemount)

All valves are oxygen compatible


#2026
O-ring 7.65 x 1.78,
NBR, 70 Sh

Modified connector for
oxygen manual addition valve




#3116 Hose for manual oxygen bypass 830 mm

Standard connector
(can't be connected to oxygen
manual addition valve)




#3021 Hose for inflator 878 mm


#2028
O-ring 6.08 x 1.78,
NBR, 70 Sh



#3018 Hose for ADV 798 mm




#3019 Hose for oxygen supply 436 mm




#3020 Hose for manual diluent bypass 960 mm


#2050
O-ring 8.74 x 1.78,
NBR, 70 Sh




#3022 HP hose for submersible pressure gauge (diluent) 929 mm
(2 pcs used in CCR Liberty)





#3170 Hose for BOV 1100 mm
(used for bailout valve (accessory))







#7027 Scrubber cartridge (radial type) (complete)















#7026 Head
(complete, without HUD, BD, handsets)




#7026 Head, radial O2 connector installed




#7203 Head with axial O2 connector, axial O2 connector installed







#7018 Loop assembly




#8155
Manual add valve, oxygen,
key 2 (three tabs)




#8158
Manual add valve, swivelling,
diluent, key 1 (two tabs)




#7053 Weight pocket, left




#7054 Weight pocket, right




#8035 Overpressure valve




#8084 Automatic Diluent Valve, axial design




#7025
Counterlung, front
mounted, right (complete)



#7024
Counterlung, front
mounted, left (complete)



#8144
Counterlung back
mounted, right (complete)



#8143
Counterlung back
mounted, left (complete)

#1219
Counterlung, front mounted,
right (cover)

#8101 QRF Buckle

#1218
Counterlung, front mounted,
left (cover)

#8071
Counterlung bayonet
connection, socket,
right version - anti
blockage, keyway
code 1


#8072
Counterlung bayonet
connection, socket,
left version - anti
blockage, keyway
code 1


#8082
Counterlung bayonet
connection, socket,
right version, keyway
code 2

#8006
Counterlung bayonet
connection, socket,
left version, keyway
code 1


#8083
Counterlung bayonet
connection, left
version, lockable,
keyway code 1

#8083
Counterlung bayonet
connection, left
version, lockable,
keyway code 1







#8083 Counterlung bayonet connection, left version, lockable, keyway code 1




#1220 counterlung, bladder PUR (transparent pliable foil)
(fits to both front mounted counterlungs)




#1631 counterlung, bladder PES (yellow durable fabric)
(fits to both front mounted counterlungs)



#1855 counterlung back mounted, left, bladder PES (yellow durable fabric)




#1854 counterlung back mounted, right, bladder PES (yellow durable fabric)



#8082
Counterlung bayonet connection, socket, right
version, keyway code 2


#8006
Counterlung bayonet connection, socket, left
version, keyway code 1




#8071
Counterlung bayonet connection, socket, right
version - anti blockage, keyway code 1

#8072
Counterlung bayonet connection, socket, left
version - anti blockage, keyway code 1


For common parts see next page





#2034 O-ring 16 x 2, NBR, 70 Sh

#7130 Pressure sensor, high resolution



#2212 Screw M4 x 16, socket head, stainless
for pressure sensor (3 pcs used for each sensor)


#2073 O-ring 6 x 1, NBR, 70 Sh




#2073 O-ring 6 x 1, NBR, 70 Sh

#2034 O-ring 16 x 2, NBR, 70 Sh

#7001 He sensor



#2211 Screw M4 x 50, socket head, stainless
for He sensor




#2088 O-ring 6 x 1.50, NBR, 70 Sh


#1480 Bleed valve connector

#2088 O-ring 6 x 1.50, NBR, 70 Sh

#2045 O-ring 12.5 x 2, NBR, 70 Sh





#7012 Battery pack Li-Ion, 5.7 Ah




#7013 Jumper for battery pack



#2212 Screw M4 x 16, socket head, stainless
for battery pack (2 pcs used for each batt. pack)




#7066 Block of oxygen sensors, cover assembly
(with cables and connectors, without o-rings)



#2253 Screw M4 x 70, socket head, stainless
for block of oxygen sensors (2 pcs used)



#3092 Oxygen sensor, type 22D (with
hydrophobic membrane)
(4 pcs used)



#1015 Mouthpiece, straight nipple 38.1 mm (1 1/2") ø inhale

For snap rings see next page

#1012 One-way valve insert

#3006
Umbrella valve 35.50 mm,
low opening pressure

2x #3008
Retaining ring DIN 472, bore ∅ 32 mm

#1255 Dive/Surface Valve, gate

#1008 Dive/Surface Valve, body


#3007 Mouthpiece "Divex"


#1497
Mouthpiece, straight nipple 38.1
mm (1 1/2") ø exhale

#2010 O-ring 38 x 2, NBR, 70 Sh


#1010 Dive/Surface Valve, gate handle

#8003 Dive/Surface Valve






Snap rings




#7189 Snap ring with eyelets




#1014 Snap ring


Both types of snap rings can be used with all types of mouthpieces (DSV, BOV)




#7052 HUD Extension 17 mm



#1216 Blind plug




#1486 Bayonet socket, cover




#1023 Tightening tool for counterlung bayonet connectors




#1217 Adjusting tool for counterlung bayonet connectors




#1850
Tightening tool for diaphragm ADV




#1928 BOV multitool




#7135 ADV valve tool



#1927
Multitool for low profile dump valve




#1335 Calibration jig




#1052 Inflator flow limiter


#2002 O-ring 4 x 1, NBR, 70 Sh




#8009 Low-pressure connection hose




#7045 Charging cable USB




#3131 Plug-in USB charger (EU, UK, USA, AU)




#3134 USB 2.0 "AB" cable




#7023 Multi-purpose USB connector



#7070 LP hose plug 9/16-18 UNF with ribbon "REMOVE BEFORE DIVE"




#1530 LP hose plug 9/16-18 UNF




#2062
O-ring 11 x 2.50,
NBR, 70 Sh


#7068
Watertight screw cap
9/16-18 UNF, assembly



#1076
Watertight screw cap "DIN" (G5/8)



#1529 Watertight screw cap M26x2




#8084 Automatic Diluent Valve, axial design




#1515 Pushrod (opening pressure 5 kPa)
Not used in CCR Liberty CE




#1526 Additional spring to ADV
(increases opening pressure)
Not used in CCR Liberty CE




#8035 Overpressure valve







#8155 Manual add valve, oxygen, key 2 (three tabs)

#1824 Manual add valve, body, key 1 (two tabs)






#8158 Manual add valve, swivelling, diluent, key 1 (two tabs)




#7084 MAV, valve core, diluent 4 L/s





#7085 MAV, valve core, oxygen 0.7 L/s

#3128
1st stage overpressure
relief valve 3/8-24 UNF




Diluent


#2249
Button head
screw M6 x 16,
T30, stainless




Oxygen



#3025
1st stage regulator Apeks DST with
left manifold block, G 5/8 connection



#3114
1st stage regulator Apeks DST with
right manifold block, M26x2 connection



#7067
Apeks DST, Connector
DIN (G 5/8), assembly




#1856
Blanking plug 7/16-20
(high pressure)




#1532
Blanking plug 3/8-24
(medium pressure)

#2050
O-ring 8.74 x 1.78,
NBR, 70 Sh


#2026
O-ring 7.65 x 1.78,
NBR, 70 Sh




#3025 1st stage regulator Apeks DST with left manifold block, G 5/8 connection




#3114 1st stage regulator Apeks DST with right manifold block, M26x2 connection




#1580
Mouthpiece, elbow 38.1
mm (1 1/2") ø inhale




#1581
Mouthpiece, elbow 38.1
mm (1 1/2") ø exhale




#1857
Extension piece to the
DSV, elbow ø
asymmetric




#1858
Extension piece to the
DSV, elbow ø
symmetric




#8176 Set of connectors 38.1 x 18 mm (wide clamp)
can be used for Liberty and others




#8175 Set of connectors 38.1 x 18 mm (narrow clamp)
can be used for Liberty and others




#8164 Set of connectors 41.2 x 28 mm
can be used for Hollis and others




#8166 Set of connectors 39.3 x 40.6 mm
can be used for Cooper hoses and others




#8162 Set of connectors 34.3 x 18 mm
can be used for JJ and others




#8165 Set of connectors 44.6 x 18 mm
can be used for rEvo and others




#8163 Set of connectors 46.25 x 28 mm
can be used for Meg and others




#8161 Set of connectors 30.5 x 32 mm
can be used for Inspiration and others




#1301 Clamping ring narrow 39.6 x 7 mm




#1810 Clamping ring 34.5 x 11




#1300 Clamping ring wide 39.6 x 11 mm




#1760 Clamping ring 38.3 x 7, V-profile




#1807 Clamping ring 47.2 x 16 mm




#1757 Clamping ring 47.2 x 16 mm




#1759 Clamping ring 42 x 16 mm




#1758 Clamping ring 46.8 x 11




proper screws: #2209 Screw M3 x 16, socket head, stainless




#1084
Elbow 38.1 mm 65Å inhale
(keyway code 1 - two tabs)
(use: Standard, inhale; Sidemount counterlung, both inhale and exhale)




#1848
Elbow 38.1 mm 65Å turned
inhale (keyway code 1T - two
tabs)
(use: Sidemount, inhale)




#1814
Elbow 38.1 mm 65Å
reverse inhale (keyway
code 1R - two tabs)
(use: Reverse air flow
direction, inhale)



#1314
Elbow 38.1 mm 65Å exhale
(keyway code 2 - three tabs)
(use: Standard, exhale)




#1849
Elbow 38.1 mm 65Å turned
exhale (keyway code 2T -
three tabs)
(use: Sidemount, exhale)




#1815
Elbow 38.1 mm 65Å
reverse exhale (keyway
code 2R - three tabs)
(use: Reverse air flow
direction, exhale)

Hose fittings for alternative routing of corrugated hoses to Air Mass Treatment Unit







#1583
Hose branch straight 38.1 mm
(1 1/2"), keyway code 2 (three
tabs)




#1582
Hose branch straight 38.1 mm
(1 1/2"), keyway code 1 (two
tabs)

Hose fittings for alternative routing of corrugated hoses to Air Mass Treatment Unit







#7078 Bailout valve BOV with ADV, mouthpiece
BOV versions with and without ADV differ only in type of rotary gate



BOV gate assembly, with ADV




BOV gate assembly, without ADV




Other parts are identical to #7078 Bailout valve BOV with ADV, mouthpiece


#7087 Bailout valve BOV with ADV, connector Dräger
for use with full face mask Dräger Panorama Nova




Other parts are identical to #7087 Bailout valve BOV with ADV, connector Dräger

#7089 Bailout valve BOV with ADV, connector OTS







BOV manual add valve (MAV) ø left,
inhale, diluent (38.1 (1 1/2"))




BOV manual add valve (MAV) ø right,
exhale, oxygen (38.1 (1 1/2"))




BOV manual add valve (MAV) ø left,
inhale, diluent (44.6 x 18)



BOV manual add valve (MAV) ø right,
exhale, oxygen (44.6 x 18)









Unmarked parts are identical to those in the valve on the previous page

Components 1872 and 2076 are not used in the diluent valve.


BOV MAV, left valve assembly, axial mount



Unmarked parts are identical to those
in the valve on the previous page



BOV MAV, right valve assembly, radial mount



Unmarked parts are identical to those in the valve on the previous page

Components 1872 and 2076 are not used in the diluent valve.

BOV MAV, left valve assembly, radial mount



#1790 BOV MAV, right lever, green



#1789 BOV MAV, left lever, black



#1930 BOV MAV, right lever, short, green



#1929 BOV MAV, left lever, short, black



#1932 BOV MAV, right lever, black




#1931 BOV MAV, left lever, green




#1933 BOV MAV, right lever, short, black




#1934 BOV MAV, left lever, short, green




MAV connectors 36.1 x 18 mm (narrow clamp)
can be used for Liberty and others




MAV connectors 44.6 x 18 mm
can be used for rEvo and others



MAV connectors 34.3 x 18 mm
can be used for JJ and others



MAV connectors 41.2 x 28 mm
can be used for Hollis and others



MAV connectors 30.5 x 32 mm
can be used for Inspiration and others

#1786 Diaphragm ADV, diaphragm cover

#1784 Diaphragm ADV, diaphragm washer

#1785 Diaphragm ADV, diaphragm center

#3212 Diaphragm ADV, diaphragm

Dispensing valve,
see next pages.

#1781 Diaphragm ADV T-piece, body
For other variants of ADV body see next pages.

#2089 O-ring 10 x 1.80, FPM, 80 Sh

#2044 O-ring 10 x 2, NBR, 70 Sh

#1783 Diaphragm ADV (T-piece), banjo connector

2x #2019 O-ring 7.60 x 2.30, NBR, 70 Sh

#2042 O-ring 8.10 x 1.60, NBR, 70 Sh

#2053 O-ring 32 x 2, NBR, 70 Sh

#1919 Connector O2, banjo, 9/16-18 UNF

#3011 Retaining ring DIN 471, shaft $\varnothing$ 12 mm


#1920 Closeable connector UNF, stem

#2016 O-ring 12 x 2, NBR, 70 Sh

#1322 Closeable connector 2nd stage 9/16-18 UNF, ring


3x #2034 O-ring 16 x 2, NBR, 70 Sh

#7082 Diaphragm ADV T-piece




#7094 Diaphragm ADV straight left

#1840 Diaphragm ADV straight left, body




#7111 Diaphragm ADV straight right

#1841 Diaphragm ADV straight right, body




#7082 Diaphragm ADV T-piece

#1781 Diaphragm ADV T-piece, body




#7109 Diaphragm ADV L-piece right


#1843 Diaphragm ADV L-piece right, body




#7110 Diaphragm ADV L-piece left

#1842 Diaphragm ADV L-piece left, body








#7083 Diaphragm ADV, dispensing valve (accessory)



For the usage of each size of the seats see Service manual.







#8111 Transport cover for the head (accessory)




CCR Liberty sidemount
Spare parts




#1901 Sidemount CCR, rack - stainless
(weight 1.2 kg (2.6 lb))
Not recommended to use with US-DOT compliant tanks





#1910 Sidemount CCR, rack - titanium
(weight 0.7 kg (1.55 lb))




#7095 Sidemount counterlung, complete














#7174 sidemount CCR, S-piece, inhale






#7175 sidemount CCR, S-piece, exhale









#1911 sidemount CCR, Banjo cover




① #1915 Sidemount CCR, tank strap, left (2x)




⑤ #1916 Sidemount CCR, tank strap, right (2x)




② #1917 Sidemount CCR, canister strap, left (longer) part (2x)




④ #1918 Sidemount CCR, canister strap, right (shorter) part (2x)




③ #1913 Sidemount CCR, rear handle



⑥ #1914 Sidemount CCR, hose fastening strap (2x)





#7100 Scrubber cartridge XT 2.5 kg (complete)