



[divesoft.cz](http://divesoft.cz)

**Liberty  
Scrubbers**

## Standard cartridge and scrubber tank

The standard radial-shaped tank can take 2.5 kg (5.5 lb) of sorbent. CCR Liberty is certified under the EN 14143:2013 standard in configuration with this scrubber. In test conditions according to the standard (production of CO<sub>2</sub> being 1.6l/min) the endurance of the scrubber is 2 hours 48 minutes, which is, thanks to the precise solution of the internal aerodynamics of the apparatus, more than is usual with other apparatuses with the same scrubber filling. Divers, who know their real CO<sub>2</sub> production can use this scrubber 4 to 6 hours, depending on their CO<sub>2</sub> production and the difficulty of the dive. (#7027 + #7028)



## XL scrubber

(scrubber cartridge XL + scrubber tank XL)

The XL scrubber tank has the same outside measures like the standard scrubber (meaning it does not require any further modifications of CCR Liberty), but it can take 3.3 kg (7.25 lb) of sorbent, which is 30% more than with the standard scrubber. Similarly, the usability duration is increased, which is 3 hours and 15 minutes with the CO<sub>2</sub> production of 1.6 l/min. Divers, who know their real CO<sub>2</sub> production can use this scrubber 5 to 8 hours, depending on their CO<sub>2</sub> production and the difficulty of the dive. (#8120)





## **Divesoft s.r.o.**

Hálkova 2495  
413 01 Roudnice nad Labem  
Czech Republic

+420 416 857 057  
[info@divesoft.cz](mailto:info@divesoft.cz)  
[www.divesoft.cz](http://www.divesoft.cz)

## **Divesoft, LLC**

7850 Ulmerton Rd., Suite 3B  
Largo, Florida 33771  
USA

+1 (813) 389 7911  
[info@divesoftus.com](mailto:info@divesoftus.com)  
[www.divesoftus.com](http://www.divesoftus.com)